Contents

Volume 63 (1992)

M. Seras, R-M. Handjani-Vila, M. Ollivon and S. Lesieur (Châtenay-Malabry and Rungis Cedex, France),	
Kinetic aspects of the solubilization of non-ionic monoalkyl amphiphile-cholesterol vesicles by	
octylglucoside	1
sulfate-dependent fusion of liposomes containing cationic stearylamine	15
T. Bakos, J. Horváth and I. Vincze (Dóm tér and Gyömrői út, Hungary), Steroids, XLVII: A facile	
synthesis of 3β-hydroxy-5α-cholest-8(14)-en-15-one	23
of a new class of synthetic amino-etherlipids	27
PF. Wang and RL. Zheng (Gansu, People's Republic of China), Inhibitions of the autoxidation of	
linoleic acid by flavonoids in micelles	37
T. Ioneda and B.L. Beaman (São Paulo, Brasil; Davis, CA), Molecular weight determination of methyl	41
esters of mycolic acids using thermospray mass spectrometry	41
B.R. Ratna, S. Baral-Tosh, B. Kahn, J.M. Schnur and A.S. Rudolph (Washington, DC; Gainesville, FL and Fort Washington, MD), Effect of alcohol chain length on tubule formation in	
1,2-bis(10,12-tricosadiynoyl)-sn-glycero-3-phosphocholine	47
QT. Li and W.H. Sawyer (Singapore, Singapore; Parkville, Australia), Effect of ionic strength on the	
transfer of 1-pyrenemethyl-3β-hydroxy-22,23-bisnor-5-cholenate between bilayer vesicles containing	
phosphatidylserine	55
M.S.F. Lie Ken Jie, Y.K. Cheung, S.H. Chau, W.W. Christie and E.Y. Brechany (Hong Kong, Hong	
Kong; Ayr, UK), Mass spectra of the picolinyl ester derivatives of some conjugated diacetylenic fatty	
acids	65
K. Fukuzawa, W. Ikebata, A. Shibata, I. Kumadaki, T. Sakanaka and S. Urano (Tokushima, Osaka,	
Tokyo, Japan), Location and dynamics of α -tocopherol in model phospholipid membranes with different charges	69
A.U. Siddiqui, W.K. Wilson, K.E. Ruecker, F.D. Pinkerton and G.J. Schroepfer, Jr. (Houston, TX),	0,7
Inhibitors of sterol synthesis. Chemical syntheses and spectral properties of 26-oxygenated derivatives of	
3β-hydroxy-5α-cholest-8(14)-en-15-one and their effects on 3-hydroxy-3-methylglutaryl coenzyme A	
reductase activity in CHO-K1 cells	77
J.E. Baatz, K.L. Smyth, J.A. Whitsett, C. Baxter and D.R. Absolom (Charleston, SC; Cincinnati, OH and	
Columbus, OH), Structure and functions of a dimeric form of surfactant protein SP-C: a Fourier transform infrared and surfactometry study	91
D. Bach, E. Wachtel, N. Borochov, G. Senisterra and R.M. Epand (Rehovot, Israel; Hamilton, Ontario),	,,
Phase behaviour of heteroacid phosphatidylserines and cholesterol	105
A.U. Siddiqui, W.K. Wilson, S. Swaminathan and G.J. Schroepfer, Jr. (Houston, TX), Efficient prepara-	
tion of steroidal 5,7-dienes of high purity	115
M. Tomoaia-Cotisel, E. Chifu, J. Zsako, A. Mocanu, P.J. Quinn and M. Kates (Marburg/Lahn, Germany;	
Buffalo, NY; Cluj-Napoco, Romania; London, UK and Ottawa, Ontario), Monolayer properties of	
archaeol and caldarchaeol polar lipids of a methanogenic archaebacterium, Methanospirillum hungatei, at	
the air/water interface	131
M. Khalique Ahmed, C.T. Choma and P.T.T. Wong (Ottawa, Ontario), High pressure FTIR study of	120
interaction of melittin with dimyristoylphosphatidyl glycerol bilayers	139

Short Communication	
G. Arsequell, G. Fabriás, L. Gosalbo and F. Camps (Barcelona, Spain), Synthesis of inhibitors of a delta-11 desaturase in the moth Spodoptera littoralis	149
G. Pifat, J. Brnjas-Kraljević, G. Jürgens, C.M. Herak-Kramberger and J.N. Herak (Zagreb, Croatia; Graz, Austria), Chemical modification of low-density lipoprotein enhances the number of binding sites for	150
B. Azize, A. Cao, E. Hantz-Brachet, G. Perret, G. Lewin and E. Taillandier (Bobigny and Chatenay-Malabry, France), Thermal behavior and elastic properties of phospholipid bilayers under the effect of a	159
synthetic flavonoid derivative, LEW-10 P. Allevi, M. Anastasia, P. Ciuffreda, A.M. Sanvito and A. Scala (Milan, Italy), A simple one pot synthesis of aromatic steroidal and non-steroidal C-glucosides via O-glucosides	169
A. Singh, M.A. Markowitz and Li-I Tsao (Washington, DC), Modulation of bilayer structures derived from	
diacetylenic phosphocholines containing oxygen linker β to diacetylene	191
under hydrated and unhydrated conditions. I. Phosphatidic acids with different acyl chain length M. Hein, A. Post and HJ. Galla (Münster, Germany), Implications of a non-lamellar lipid phase for the tight junction stability. Part I: Influence of basic amino acids, pH and protamine on the bilayer-hexagonal	203
II phase behaviour of PS-containing PE membranes	213
tions of a non-lamellar lipid phase for the tight junction stability. Part II: Reversible modulation of transepithelial resistance in high and low resistance MDCK-cells by basic amino acids, Ca ²⁺ , protamine	
and protons	223
investigation of plant sterol effects on soybean phosphatidylcholine acyl chain ordering	235
ω-chain length	243
H _{II} phase forming lipids	251
Short Communications	
S.C. Cunnane, B. Descomps, S.C.R. Williams, P.R. Haycock, Z-Y. Chen and F. Mendy (Toronto, Canada; Montpellier and Paris, France; London, UK), Carbon-specific detection of ² H enrichment in long chain fatty acids by ¹³ C-NMR: potential application to studies of fatty acid metabolism	259
I. Hermosín, F. Ledl and A. Gómez-Sánchez (Stuttgart, Germany and Sevilla, Spain), Influence of oxidized lipids on the non-enzymic browning reaction: interaction between linolenic acid and an Amadori compound	265
•	
Subject Index — Volume 63	271
Author Index — Volume 63	275
Contents — Volume 63	277

